

9400208

THE UNITED SHATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pioneer Hi-Bred International, Inc.

Thereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE GHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR RATING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT D BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

WHEAT

'2628'

In Testimonn Mixerest, I have hereunto set my hand and caused the seal of the Hunt Bariety Protection Office to be affixed at the City of Washington, D.C. this thirty-first day of Sugust in the year of our Lord one thousand nine hundred and ninety-five.

Allaste

Acting Commissioner

Plant Variety Protection Office Agricultural Marketing Service ~ YUMOMM... Secretary of Agriculture Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 0581-0055, Expires 1/31/91

APPLICATION FOR PLANT VARIET	ETING SERVICE	ION CERTIFICATE	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until			
(Instructions or			certificate is issued (7 U.S.C. 2426).			
NAME OF APPLICANT(S) (as it is to appear on the Certificate)		2. TEMPORARY DESIGNATION OF EXPERIMENTAL NO.	3. VARIETY NAME AA A			
Pioneer Hi-Bred International	Pioneer Hi-Bred International, Inc.					
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)	······································	5. PHONE (Include area code)	FOR OFFICIAL HOT ONLY			
Dept. of Wheat Breeding	•	o. There were coupy	FOR OFFICIAL USE ONLY PVPO NUMBER			
R.R. 1 Box 297A			FALO MOMOCA			
Windfall, IN 46076		(317) 945-7906	0.000000			
	•	(317) 343-7900	9400208			
	the state of the state of		F Date			
6. GENUS AND SPECIES NAME	1 =		[Sure 28, 1994]			
	7. FAMILY NAME (B	•	N Time			
<u>Triticum aestivum</u>	gramin	eae	G A.M. P.M.			
8. CROP KIND NAME (Common Name)	· · · · · · · · · · · · · · · · · · ·	9. DATE OF DETERMINATION	F Filing and Examination Fee:			
Wheat	10 0 0	August 1, 1989	[· 2,325,00			
<u></u>			S. Date			
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA	NIZATION (Corporation	, parlnership, association, etc.) .	1 R June 28 1994			
Corporation			C Oertificate Fee:			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION			E 300 00			
THE INCOMPORATED, GIVE STATE OF INCORPORATION	12	2. DATE OF INCORPORATION	V Date			
Iowa		May 1926	5 July 31 1995			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO	SERVE IN THIS APPLIC		10 12 KLLEG 51, 1775			
Dr. Gregory C. Marshall			U			
Pioneer Hi-Bred International,	Inc.					
R.R. 1 Box 297A						
Windfall, IN 46076	**		(217) 045 7000			
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow)		PHONE (Include area co	_{ode):} (317) 945-7906			
a. Exhibit A, Origin and Breeding History of the Variety.	ow INSTRUCTIONS on I	reverse)				
		and the second section of the s				
b. Exhibit B. Novelty Statement.						
c. Exhibit C, Objective Description of Variety.						
d. Exhibit D, Additional Description of Variety.			olivski state i 145 grad			
e. Exhibit E, Statement of the Basis of Applicant's Ownershi			. 			
1. Seed Sample (2,500 viable untreated seeds). Date Seed	Sample mailed to Pla	int Variety Protection Office $6/27$	199			
g. Filing and Examination Fee (\$2,450) made payable to "T	reasurer of the United	d States."	n en la calendar de la calendar de Esta de la calendar			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO Protection Act.)	LD BY VARIETY NAME (ONLY AS A CLASS OF CERTIFIED SEED? (S	ee section 83(a) of the Plant Variety			
YES (If "YES," answer items 16 and 17 bel		lf "NO," skip to item 18 below)				
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS 1 NUMBER OF GENERATIONS?	TO 17. IF "YES	" TO ITEM 16, WHICH CLASSES OF PRODI	UCTION BEYOND BREEDER SEED?			
F	i —	·				
L YES L NO		FOUNDATION REGIS	TERED CERTIFIED			
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VAI	RIETY IN THE U.S.?					
_						
YES (If "YES," through Plant Variety Protection Act	Palent Act. Give	date:)				
. Tylino						
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MA	A DVETED HATUE AND					
	ARKETED IN THE U.S. C	OR OTHER COUNTRIES?	office (
YES (If "YES," give names of countries and dates)						
L Y NO			지수 없는 네가 그 가지 그 때문에			
			la de la tradición de la tradación de la companya			
20. The applicant(s) declare(s) that a viable sample of basic see	ds of this variety w	vill be furnished with the applicati	on and will be replenished upon			
request in accordance with such regulations as may be apply	cable.		and the second s			
The undersigned applicant(s) is (are) the owner(s) of this s	sexually reproduce	d novel plant variety, and believe	e(s) that the variety is distinct,			
amorm, and stable as required in section 41, and is entitled	to protection unde	r the provisions of section 42 of the l	Plant Variety Protection Act.			
Applicant(s) is (are) informed that false representation here	in can jeopardize pr	otection and result in penalties.				
SIGNATURE OF APPLICANT [Owner(s)]	CAPACITY O	BTITLE DIA	DATE			
Charles Mark III	Coord	inator of Doff				
Jugory C. I wishar	Winter	What Right	6/24/94			
GIGNATURE OF APPLICANT (Owner(s))	CAPACITY O	R TITLE	DATE			
		<i>U</i>	Jane 1			

14A. Exhibit A. Origin and Breeding History of Pioneer Wheat Cultivar WBC766L5.

19 JWN 1995

Pioneer cultivar 'WBC766L5', a soft red winter wheat (Triticum aestivum L.), was developed by Pioneer Hi-Bred International, Inc. Using a pedigree selection breeding method, WBC766L5 was derived from the three parent cross: 'Feland'/ Pioneer line 'W9032B'// W9032B.

Pioneer line W9032B was derived from the cross: 'IN4946A4-18-2'/
'MO W7470'// Pioneer line 'W521'. IN4946A4-18-2 is an
experimental line from Indiana and MO W7470 is from Missouri. The
pedigree of Pioneer line W521 is unknown. The single cross:
Feland/ W9032B (designated 'WCB363') was made in the 1982 spring
greenhouse cycle at Windfall, IN. The final cross WCB363/ W9032B
was made in the 1982 fall greenhouse cycle and coded 'WBC766'.
The subsequent breeding history of WBC766L5 was as follows:

Year	Generation	
1982	Final Cross	Cross designated WBC766
1983	F1	Grown in spring transplant nursery at Windfall, IN.
1983-84	F2	Bulk populations grown at Huntsville, AL. Individual head selections made.
1984-85	F3	Headrows of F2 selections grown at St. Matthews, SC.
1985-86	F4	F3 selections grown in F4 headrows at St. Matthews, SC and Americus, GA.
1986-87	F5	F4 selections grown in F5 headrows at St. Matthews, SC and Estill, SC.
1987-88	F6	F5 selections grown in F6 headrows at St. Matthews, SC and Statesboro, GA.
1988-89	F7	Preliminary yield testing of F6 selections at St. Matthews, SC; one selection designated 'WBC766L5'.
1989-90	F8	Advanced yield testing of WBC766L5.
1990-91	F9	Elite yield testing of WBC766L5. 200 heads harvested.
1991-92	F10	Elite yield testing of WBC766L5. 200 purification headrows grown, surrounded by .13 acre bulk increase at St. Matthews, SC. Breeder seed turned over to Pioneer Parent Seed Operations for further increase.

14A. Exhibit A. (cont.)

1992-93 F11 Elite yield testing continued,

designated as 'YW523'. Pioneer Parent Seed Operations continued

increase.

1993-94 F12 Elite yield testing continued,

designated as 'XW523'. Pioneer Parent Seed Operations continued

increase.

Decision to release will be made in Aug. 1994, at which time WBC766L5 will be assigned a commercial code.

The cultivar WBC766L5 was bred and selected at each generation for any or all of the following characteristics: disease resistance, plant type, plant height, head type, straw strength, maturity, grain yield, test weight, and milling and baking qualities.

WBC766L5 has been observed to be uniform and stable since the eighth generation, or the last four generations. Variants that may persist are slightly taller plants at a frequency of less than 1/45,000.

14B. Novelty Statement:

12628' AAA 19Jan 1995

WBC766L5 is most similar to the variety Feland, but with the following distinguishing characteristics:

- 1) The color of WBC766L5 at booting is yellow-green while the color of Feland is green.
- 2) The last internode of the rachis of WBC766L5 is pubescent while that of Feland is not pubescent.
- 3) The phenol reaction of WBC766L5 is dark brown while that of Feland is light brown.
- 4) WBC766L5 is awned while Feland is awnless.

२५ तिकारिका क्षित्र । १५ ति विकास क्षेत्र होता है ।

EXHIBIT C

U. S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN AND SEED DIVISION BELTSVILLE, MARYLAND 20785

OBJECTIVE DESCRIPTION OF VARIETY

Mat Woo House and market	RITICUM SPP.)	the state of the s
Pioneer Hi-Bred International, Inc.		FOR OFFICIAL USE ONLY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)		0400209
Department of Wheat Breeding R.R. 1 Box 297A		DESIGNATION 1608 AND 195 WWW. 19
Windfall, IN 46076	,	WBC766L5 (temp. designat
Place the appropriate number that describes the varietal character Place a zero in first box (e.g. 0 8 9 or 0 9) when number	ter of this variety in the r is either 99 or less or	boxes below.
1. KIND:		And the second s
1 1 = COMMON 2 = DURUM 3 = EMMER 4 = SPELT	5 = POLISH 6 = POUI	ARD 7 = CLUB
2. TYPE:	1 = sofт	3 = OTHER (Specify)
2 1 = SPRING 2 = WINTER 3 = OTHER (Specify)		Torus or three where
2 1 = WHITE 2 = RED 3 = OTHER (Specify)	——————————————————————————————————————	
3. SEASON - NUMBER OF DAYS FROM EMERGENCE TO:		
1 3 9 FIRST FLOWERING	1 4 3 LAST	FLOWERING
4. MATURITY (50% Flowering):		
0 2 NO. OF DAY'S EARLIER THAN	. 7 1 = ARTHUR	2 = SCOUT 3 = CHRIS 7 - 2549
NO. OF DAYS LATER THAN	4 = LEMHI	5 = NUGAINES 6 = LEEDS
5. PLANT HEIGHT (From soil level to top of head):		
0 9 6 см. нібн		
0 5 CM. TALLER THAN	. 7	1 augit a QE40
CM. SHORTER THAN	. 1 = ARTHUR	2 = SCOUT 3 = CHRIS 7 = 2548 5 = NUGAINES 6 = LEEDS
PLANT COLOR AT BOOTING (See reverse):	7. ANTHER COLOR:	
1 1 = YELLOW GREEN 2 = GREEN 3 = BLUE GREEN	1 1 = YELLOW	2 = PURPLE
. STEM:		
2 Anthocyanin: 1 = ABSENT 2 = PRESENT	2 Waxy bloom: 1 =	ABSENT 2 = PRESENT
Hairiness of last internode of rachis: 1 = ABSENT 2 = PRESENT	1 Internodes: 1 = 1	HOLLOW 11 2 = SOLID
0 4 NO. OF NODES (Originating from node above ground)		NODE LENGTH BETWEEN FLAG LEAF BELOW
AURICLES:		The second of the second second
1 Anthocyanin: = ABSENT 2 = PRESENT	1 Hairiness: 1 = /	
. LEAF:	to the second second	A contract & HARRY
Flag leaf at 1 = ERECT 2 = RECURVED booting stage: 3 = OTHER (Specify):	2 Flag leaf: 1 = N	OT TWISTED 2 = TWISTED
Hairs of first leaf sheath: = ABSENT 2 = PRESENT	2 Waxy bloom of fla	g leaf sheath: 1 = ABSENT 2 = PRESENT
1 4 MM. LEAF WIDTH (First load below flag load)	2 3 CM. LEAF	ENGTH (First lest below flag lest):
1 1 T mm. Com with 12 feet real below field (ear)	Z 3 CM. LEAF	LENGTH (First less below lieg less):

1) UEAD.		
11. HEAD: 3 Density: 1 = LAX	2 = DENSE	Shape: 1 = TAPERING 2 = STRAP 3 = CLAVATE 4 = OTHER (Specify)
	NNLESS 2 = APICALLY AWNLETED I = WHITE 2 = YELLOW 3 = PINK 4	3 = AWNLETED 4 = AWNED A STATE OF THE PROPERTY OF THE PROPERT
1 Color at maturity: 5	ere en al	ER (Specify):
12. GLUMES AT MATUR 3 Length: 1 = SHORT 3 = LONG	_	3 Width: 1 = NARROW (CA. 3 mm.) 2 = MEDIUM (CA. 3.5 mm.) 3 = WIDE (CA. 4 mm.)
Shoulder 1 = WANT Shape: 4 = SQUA		Beak: 1 = OBTUSE 2 = ACUTE 3 = ACUMINATE
13. COLEOPTILE COLOR	A CONTRACT OF THE SECURITY	14. SEEDLING ANTHOCYANIN: 2 L= ABSENT 2 = PRESENT
15. JUVENILE PLANT GE	ROWTH HABIT:	
2 1 = PROSTRATE	2 = SEMI-ERECT 3 = ERE	CT
16. SEED:	e selesa	en de la composition de la composition La composition de la
1 Shape: I = OVATE	2 = OVAL 3 = ELLIPTICAL	1 Cheek: I = ROUNDED 2 = ANGULAR
2 Brush. 1 = SHORT	2 = MEDIUM 3 = LONG	1 Brush: 1 = NOT COLLARED 2 = COLLARED
Phenol reaction (See instructions):	1 = IVORY 2 = FAWN 3 = LT. BROW 4 = BROWN 5 = BLACK	
3 Color: 1 = WHITE	2 = AMBER 3 = RED 4 = PURPLE	5 = OTHER (Specily)
0 7 MM. LENGTH	O 4 MM. WIDTH	3 6 GM. PER 1000 SEEDS
17. SEED CREASE:		
1 11	ESS OF KERNEL 'WINOKA'	Depth: 1 = 20% OR LESS OF KERNEL 'SCOUT'
-	ESS OF KERNEL 'CHRIS'	2 = 35% OR LESS OF KERNEL 'CHRIS' 3 = 50% OR LESS OF KERNEL 'LEMHI'
	as wide as Kernel, 'Lemhi' ted, 1 = Susceptible, 2 = Resistant)	3 - WACK ELES OF KENNEL STATE
O (Races)	LEAF RUST	O STRIPE RUST O LOOSE SMUT
2 POWDERY MILDEW	O BUNT	OTHER (Specify)
19. INSECT: (0 = Not Teste	id, 1 = Susceptible, 2 = Resistant)	
0 SAWFLY	O APHID (Bydv.)	O GREEN BUG O CEREAL LEAF BEETLE
OTHER (Specify)	HESSIAN FLY	1 GP
-	RACES:	
20 INDICATE MINOR AND		
20. INDICATE WHICH VARIS CHARACTER	NAME OF VARIETY	UBMITTED: CHARACTER NAME OF VARIETY
Plant tillering	Coker 983	Seed size Feland
Leaf size	Feland	Seed shape Feland
Leaf color	Pioneer 2548	Coleoptile elongation Pioneer 2548
Leaf carriage	Feland	Seedling pigmentation Pioneer 2566
	TRICORN TI	mentare and the second

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for the standardization of terms and procedures for completing this form:

- (a) L.W. Briggle and L. P. Reitz, 1963, Classification of Triticum Species and Wheat Varieties Grown in the United States, Technical Bulletin 1278, United States Department of Agriculture.
- (b) W.E. Walls, 1965, A Standardized Phenol Method for Testing Wheat Seeds for Varietal Purity, contribution No. 28 to the handbook of seed testing prepared by the Association of Official Seed Analysts. (See attachment.)

LEAF COLOR: Nickerson's or any recognized color (an should be used to determine the leaf color of the described variety-

14D. Exhibit D. Additional Description of the Variety.

1) Yield and agronomic data.

**DOTA MAR (9 Jun) 195

WBC766L5 has been wide-scale yield tested, using comparative research plots since the 1990 growing season. Testing has been conducted across the area of adaption, including locations in Virginia, North Carolina, South Carolina, Georgia, Kentucky, Missouri, Tennessee, and Arkansas (Table 1).

2) Information on reaction to major diseases.

Leaf rust - Moderately susceptible to prevalent races in southeastern region of the United States.

Powdery Mildew - Moderately resistant to prevalent races in southeastern region of the United States.

Wheat Spindle Streak Mosaic Virus - Moderately resistant.

Leaf Blights - Excellent tolerance to the complex of the most common organisms that cause leaf blights; including Septoria tritici blotch, Septoria nodorum blotch, and tan spot.

3) Information on reaction to major insects.

Hessian fly - Moderately resistant to the predominant biotypes of Hessian fly in the Southeast in field screens. Has screened susceptible to biotypes E and GP in testing conducted at the Department of Entomology at Purdue University in cooperation with the USDA-ARS Insect and Weed Control Research Unit.

4) Information on milling and baking qualities.

WBC766L5 has demonstrated very satisfactory milling quality and baking quality as compared to current predominant soft wheat varieties (Table 2).

Table 1. Varietal yield performance and agronomic characteristics as recorded in Pioneer Elite Yield Tests during the period 1991-1993.

Cultivar	Yield	Test weight	Height	Heading date	Lodge	Leaf rust	Powdery mildew	Leaf blight	ss MV	нг @	
		bu/ac	lbs/bu		Jan. 1	1-9¶	1-9¶	1-9¶	1-9¶	1-9¶	1-9¶
Southea ste	ern States: (UNS/M	M 193	un 1991	2							
	WBC766L5	75.0	55.1	96.3	107.9	7.3	4.6	6.7	6.5	7.5	6.5
	2548	68.5	54.1	91.2	109.8	8.5	6.4	5.1	6.8	4.0	1.0
	2566	76.0	54.9	94.7	109.2	6.2	7.9	6.5	6.8	5.0	9.0
	2580	79.7	55.1	97.3	106.1	5.5	6.2	6.6	5.5	3.5	1.0
	COK 983	71.6	56.9	85.6	105.2	7.5	5.8	6.8	5.3	5.5	1.0
	lsd (0.05)	4.2	0.9	3.5	1.6	1.4	0.8	0.5	1.6	1.1	3.5
	# loc	30	28	5	6	5	9	16	2	1	1
	# years	3	3	. 3	3	2	3	3	2	1	1
Upper Del	ta Region:					•		•			
1 t	WBC766L5	61.2	57.7	-	123.5	7.0	4.5	_	-	-	
	2548	67.1	56.6	_	123.5	8.0	6.0	-	-	-	
	2566	53.3	56.9	_	125.0	6.0	8.0	_	_	-	
	2580	60.1	56.3	-	122.5	6.0	6.5	-	-	-	
	Cardinal	59.6	56.7	_	126.0	3.0	7.0			_	
	Clark	57.2	57.8	_	125.0	6.5	7.5	-	-	-	
											
	1sd (0.05)	7.0	1.7	· _	5.9	1.6	1.0	_	-	-	
	# loc	4	4	_	1	1	1		_	-	
	# years	1	1	-	1	1	1	-	-	-	

 $[\]P$ scale 1 to 9, where 9 = excellent or resistant; 1 = poor or susceptible.

Southeastern State Locations: Charles City, VA; Suffolk, VA; Edenton, NC; Greenville, NC;
Rowland, NC; Monroe, NC; Darlington, SC; Manning, SC; St. Matthews, SC;
Orangeburg, SC; Statesboro, GA; Dublin, GA; Americus, GA.

Upper Delta Region Locations: Russellville, KY; Sikeston, MO; Union City, TN; Des Arc, AR.

8

[@] Data collected from headrows in Hessian fly nursery at St. Matthews, SC

Table 2. Soft wheat quality data 1991-1993 from the Pioneer Quality Lab, Johnston, Iowa.

VARIETY	FLR YLD	BFL YLD	FLR PRO	FLR WR	CK	TOP GRN	TGR AB	MILLING SCORE	BAKING SCORE
' N. W.' WBC766L5 #obs	69.9 9	171419 38.0 9	9.3	57.7 9	18.8	5.3 6	6.5 6	6	7
2548 #obs	69.0 9	36.9 9	9.1	57.9 9	18.5 6	3.6 6	6.0 6	5	4
2555 #obs	69.4 7	41.7	9.3	56.4 7	19.4 7	4.7	6.8 7	8	8
2566 #obs	70.0 9	37.1	9.3	56.5 9	18.8 6	4.7	5.3 6	5	7
2580 #obs	69.3 9	35.1 9	8.8	55.9 9	18.6 6	4.3	6.8 6	4	6
COK 983 #obs	71.3	36.8 10	9.9 10	54.5 10	19.0 7	4.8	6.1 7	7	9

Trait abbreviations used in the above table.

FLR YLD -- Flour yield (%)

BFL YLD -- Break flour yield (%)

FLR PRO -- Flour protein (%)

FLR WR -- Flour Alkaline Water Retention Capacity (%)

CK -- Cookie diameter (cm)

TOP GRN -- Top grain rating of cookie (1-9) (1= poor, 9= excellent)

TGR AB -- Top grain abnormalities of cookie (1-9) (1= narrow valleys, 9= wide valleys)

MILLING SCORE -- Rating which weights Flour yield 60% and Break flour yield 40% (1= poor, 9= excellent)

BAKING SCORE -- Rating which weights Cookie spread 60% and AWRC 40% (1= poor, 9= excellent)

(revised July 24, 1995)

14E. Exhibit E. Statement of the Basis of Applicant's Ownership

The variety, '2628', for which plant variety protection is sought, was developed by employees of Pioneer Hi-Bred International, Inc., Research and Product Development. By agreement between employees and Pioneer Hi-Bred International, Inc., all rights to any invention, discovery or development while an employee are assigned to Pioneer Hi-Bred International, Inc. with no rights retained by the employee.

Pioneer Hi-Bred International, Inc., Research and Product Development, believes it is the sole, original, and first breeder of the 2628 variety of soft red winter wheat for which it solicits a certification of protection.

.32 imm sa

nas